

Semi Rigid Wood Texture PVC Interior Film Sheet For Lamination Process

Our Product Introduction

for more products please visit us on realsundeco.com

Basic Information

- Place of Origin: Foshan, China
- Brand Name: Realsun Deco
- Minimum Order Quantity: 3000m
- Price: Negotiable
- Packaging Details: Pack in roll
- Delivery Time: 15-20 days
- Payment Terms: T/T 30% down payment, 70% balance before shipment
- Supply Ability: 500000m/month



Product Specification

- Material: PVC
- Thickness: 0.10mm-0.50mm
- Width: 1260mm, 1400mm
- Surface: Glossy, Matte, Embossed, Supper Matt, Soft Touch Etc.
- Packaging: Pack By Roll With Foam Sheet, Kraft Paper, Plastic Sheet, And Pallet, Etc.
- Usage For Production Process: Lamination, Vacuum Membrane Press, Hot Press, Wrapping And So On
- Application: Furniture, Door, Wall, Kitchen Cabinet, Ceiling Etc.
- Payment Term: T/T, L/C, Etc.
- Highlight: **Wood Texture PVC Interior Film ,
Wood Texture Interior Film Sheet ,**

Product Description

Indoor Furniture Semi-Rigid Wood Texture PVC Sheet For Lamination Process

Product Description:

Our pvc foil is primarily composed of Polyvinyl Chloride (PVC), a strong and flexible synthetic plastic material that is easy to work with. It is available in a wide variety of colors, patterns, and textures, and provides an affordable alternative to natural materials. This material is well-suited to surfaces such as doors, cabinets, furniture, and walls, and is commonly used in residences and businesses.

This product is resilient and durable, making it ideal for high-traffic locations. It is easy to install and requires minimal maintenance, just a weekly wipe-down with a moist cloth. Furthermore, it is highly cost-effective, offering a luxurious appearance at a much lower price than natural materials.

Plus, pvc decorative foil can be customized to meet the exact needs of a project. Manufacturers provide a range of options, including styles and finishes. This enables homeowners and businesses to incorporate their preferred designs into their homes or workspaces.

Technical Parameters:

We supply aluminum composite panel with varied thickness ranging from 0.1mm to 0.5mm, widths of 1260mm and 1400mm, and customised length rolls up to 400m. Popular designs include wood grain, solids colors, marbles, bricks, etc, all in various surface treatments including matt, super matt, embossed, high gloss, and soft touch.

We specialize in OEM, ODM and customized services, to ensure the aluminium composite panel that you require is supplied.

Applications:

For different applications, there are different processes available.

The membrane press (vacuum press) process, for example, is capable of producing materials with a thickness of between 0.20 and 0.50mm, widths of 1260mm and 1400mm, and lengths of 100-300m per roll. It can be used to cover MDF, particleboard, wooden board, fiberboard and much more, and is commonly used for the production of kitchen cabinets, furniture, and doors. Furthermore, it has the ability to cover embossed boards and to cover five surfaces at the same time.

Another process is the wrapping profiles process, which works with materials with thickness of between 0.12 and 0.18mm, and widths of 40-1260mm and lengths of 300-800m per roll. It is able to cover materials such as wood profiles, aluminum profiles, and PVC profiles, and is often used for door frames, window sills, base channels, and PVC ceilings.

In addition, there is also the cold laminating process. It works with materials of 0.12-0.20mm thickness and widths of 1240-1260mm, and lengths of 300-500m per roll. It can be used on a variety of flat surfaces, including wood panel, steel panel, aluminum panel, PVC panel, and more for doors and furniture.

The hot laminating process can handle materials with a thickness of between 0.16 and 0.30mm, a width of 1260mm, and a length of 200-300m per roll. It is mainly used to cover PVC panels, steel panels, and aluminum panels for doors and skirting.

Finally, self-adhesive materials are available, which can be used on any smooth surface for furniture and indoor decorations. They have a thickness of 0.10-0.20mm, and come in 600mm/1220mm widths and 5-50m/roll lengths.

Customization:

Realsun Deco PVC Interior Film Customized Service

Brand Name: Realsun Deco

Place of Origin: Foshan, China

Minimum Order Quantity: 3000m

Price: Negotiable

Packaging Details: Pack in roll

Delivery Time: 15-20 days

Payment Terms: T/T 30% down payment, 70% balance before shipment

Supply Ability: 500000m/month

Service: OEM, ODM

Usage for Production Process: Lamination, Vacuum Membrane Press, Hot Press, Wrapping And So On

Packaging: Pack By Roll With Foam Sheet, Kraft Paper, Plastic Sheet, And Pallet, Etc.

Surface: Glossy, Matte, Embossed, Supper Matt, Soft Touch Etc.

Width: 1260mm, 1400mm

Keywords: wood grain vinyl wrap, membrane press pvc film, white pvc sheet

Support and Services:

PVC Interior Film Technical Support and Service

We provide technical support and service for PVC interior film. Our team of experienced professionals can help you with any questions or concerns you might have about the product. We are available to assist you in selecting the right product for your needs, installation and maintenance, and troubleshooting.

We are committed to providing the highest quality of service and the best customer experience possible. We value your feedback and are always open to suggestions on how we can improve our services. If you have any questions or concerns, please do not hesitate to contact us.

Packing and Shipping:

Packaging and Shipping for PVC Interior Film

The PVC Interior Film is packaged in rolls by foam sheet, kraft paper and plastic sheet, with the length and width dimensions specified. The roll size is determined by the product size, and the roll is labeled with the product name, size, weight, and other applicable information.

The PVC Interior Film is shipped via standard cargo services. The shipments are tracked and monitored at all times, to ensure that they arrive in perfect condition. The packages are insured for any damage or losses that may occur during shipping.



Foshan Realsun Decorative Material Co., Ltd.



+8613790066054



sale1@realsundeco.com



realsundeco.com

Room 706, Build 1, No 121 North of Lingnan Avenue, Foshan, China